

EMBA COFFEE TABLE

Product Information
and Aftercare Guide



At Ora Home, we believe that true luxury lies in longevity. Therefore, knowledge of your piece and its aftercare is a fundamental pillar of our philosophy.

This guide sets out detailed information to ensure that you can steward your furniture down to the next generation.



TABLE Of Contents

PRODUCT INFORMATION SHEET (01)

DESCRIPTION

TECHNICAL DETAILS

DIMENSIONS

MATERIAL FINISHES

AFTERCARE GUIDE (02)

GENERAL CARE



EMBA COFFEE
TABLE

FINISHED IN
BROWN OAK WOOD

EMBA Coffee Table

The Emba Coffee Table serves as a central stage, uniting living elements.

With a sculpted insert, it is crafted to be naturally complimented by the Pebal Tray.



EMBA COFFEE
TABLE

FINISHED IN
BROWN OAK WOOD




TECHNICAL DETAILS:

PRODUCT NAME:	EMBA
DIMENSIONS:	HEIGHT 42 CM WIDTH 135 CM DEPTH 69 CM
PRODUCT TYPE:	COFFEE TABLE
ORIGIN:	HANDCRAFTED IN PORTUGAL
STRUCTURE:	RUSTIC EUROPEAN WHITE OAK
WOOD FINISH:	3 TREATMENTS

DIMENSIONS

Of The Coffee Table



FINISHED IN
BROWN OAK WOOD





MATERIAL FINISHES

Oak

MATERIAL: RUSTIC EUROPEAN
WHITE OAK



Natural



Brown



Black

We hand-select our wood to celebrate its natural character. To enhance this beauty, we offer three custom oil finishes designed to highlight its unique grain and texture.

Caring properly for fabrics, wood, and other materials helps preserve the beauty and durability of your furniture for years to come. Here are some simple guidelines on how to do it right.

OAK

Aftercare Guide



DUST REGULARY:

The Cloth: Use a clean, lint-free microfiber cloth or a soft cotton chamois. Avoid feathered dusters, as they can sometimes have sharp quills that cause micro-scratches.

The Motion: Always wipe with the direction of the wood grain. This ensures that any fine dust caught in the natural open pores of the oak is lifted out rather than pushed deeper into the texture.

WIPE SPILLS IMMEDIATELY:

Oil finishes are not as waterproof as polyurethane. If you spill liquid, blot it up immediately with a clean cloth. Do not let water sit on the surface, as it can raise the grain or leave white rings.

THINGS TO AVOID:

Silicon-Based Polishes: Avoid aerosol sprays like Pledge. They create a barrier that prevents the wood from accepting new oil later and can leave a hazy film.

Direct Heat and Sunlight: Prolonged exposure to direct sunlight can fade the wood and dry out the oil finish.

Use coasters for hot drinks to prevent heat rings.

Harsh Chemicals: Never use bleach, ammonia, or abrasive cleaners, as they will strip the oil and damage the wood fibers.

Longterm maintenance

Because an oiled finish is a “living” finish, it will naturally dry out over time. If the wood begins to look dull or feels “thirsty” even after dusting, it may be time for a fresh application of a maintenance oil to nourish the fibers and restore that deep, organic luster you originally selected.

HOW TO TAKE CARE:

Clean the Surface:
Ensure the furniture is free of dust and grime.

CHOOSE THE RIGHT OIL:

Use a furniture oil compatible with the original finish.
Common options include:

Boiled Linseed Oil
Traditional choice that dries relatively quickly.

Tung Oil
Offers good water resistance but takes longer to cure.

Danish Oil
A blend of oil and varnish that provides durability and sheen.

APPLY THE OIL:

Pour a small amount of oil onto a clean cloth (never directly on the wood). Rub it into the wood following the direction of the grain.


BUFF IT DRY:

This is the most critical step. Wipe away all excess oil with a clean, dry cloth. If you leave excess oil, it will become sticky and attract dust.

APPLYING:

Applying the first coat of wipe-on finish brings wood to life, but don't be disappointed when it dries and goes flat. Adding another coat or two builds sheen and color.


BARE WOOD



1 COAT OF OIL



3 COATS OF OIL



Damage Repair

Designed for life and crafted for longevity. The combination of solid timber and signature oil finishes allows for simple, seamless touch-ups, ensuring your investment retains its integrity. With the right care, our furniture does not simply last—it matures beautifully across generations.

To maintain the seamless aesthetic of your piece, we offer bespoke touch-up pens specifically formulated to match your furniture's unique finish. While third-party alternatives are available, we recommend using our curated pens to ensure an true color match.

SURFACE DAMAGE:

SURFACE - only affecting the finish layer.



SURFACE

If the damage is a “white” scratch where the wood color is gone but the surface is still relatively flat, use a felt-tip stain marker.

For Other Brand Markers Select the Color: Always choose a shade slightly lighter than your wood. You can always add a second coat to make it darker, but you cannot easily lighten it.

Test First: Test the pen on an inconspicuous area (like the underside of a table) to see how the color reacts with the finish.

Apply the Pen: Draw along the scratch in the direction of the wood grain.

The “Wipe” Technique (Crucial): Immediately after applying the pen, rub the area with a soft, clean cloth. This blends the color into the surrounding finish and prevents a “drawn-on” look.



MINOR - penetrating the wood surface.



MINOR NICKS AND GOUGES

For Nicks and Gouges (Fil-Stik or Wax Pens)

If the damage has depth (a physical hole or a deep dent), a liquid marker won't work; you need a wax-based filler pen.

Warm the Wax: Rub the tip of the wax pen between your fingers to soften it slightly.

Fill the Gap: Rub the pen back and forth over the hole until the wax is packed in and slightly higher than the wood surface.

Level the Surface: Use the edge of a plastic credit card or a plastic scraper to gently shave off the excess wax so it sits flush with the wood.

Buff: Buff the area lightly with a cloth to match the sheen of the rest of the piece. Layering: If the scratch is still too light, wait a minute and apply another layer.

DEEP - requiring wood filler and refinishing.



DEEP SCRATCHES AND GOUGES

For deep scratches that have lost color:

Use the stain marker first to color the raw wood inside the scratch.

Let it dry for a few minutes.

Use the wax pen to fill the physical indentation.

Level and buff.

CONTACT Us



If you have any questions or concerns, please visit our website at orahome.eu or email us at sales@orahome.eu