

**KADI SIDE TABLE**

Product Information and  
Aftercare Guide



At Ora Home, we believe that true luxury lies in longevity. Therefore, knowledge of your piece and its aftercare is a fundamental pillar of our philosophy.

This guide set outs detailed information to ensure that you can steward your furniture down to the next generation.



# TABLE Of Contents

---

## PRODUCT INFORMATION SHEET (01)

DESCRIPTION

TECHNICAL DETAILS

DIMENSIONS

MATERIAL FINISHES

---

## AFTER CARE GUIDE (02)

GENERAL CARE



KADI SIDE  
TABLE



FINISHED IN  
BLACK AND NATURAL OAK WOOD

KADI  
Coffee Side Table

---

The Kadi Side Table naturally integrates with multiple pieces with it's elegant profile.

The carved cantilevered tabletop accommodates natural utility.



KADI SIDE  
TABLE

FINISHED IN  
BLACK OAK WOOD

# Kadi Side Table

---

## TECHNICAL DETAILS:

PRODUCT NAME: KADI

---

DIMENSIONS: HEIGHT 52 CM  
WIDTH 46 CM  
DEPTH 23 CM

---

PRODUCT TYPE: SIDE TABLE

---

ORIGIN: HANDCRAFTED IN PORTUGAL


---

STRUCTURE: RUSTIC EUROPEAN WHITE OAK

---


WOOD FINISH: 3 TREATMENTS

DIMENSIONS  
Of The Side Table




22.8

45.7



52

45.7



52

22.8



FINISHED IN  
BLACK OAK WOOD





MATERIAL: RUSTIC EUROPEAN  
WHITE OAK.

Wood  
OAK



Natural



Brown



Black

---

We have selected this wood due to the natural character of the wood that we want to celebrate. We offer three oil finishes that were developed to enhance the character of the wood.

# Care Guide

## OAK



**DUST** Use a soft, lint-free cloth (cotton or microfiber) to wipe away dust. Dust can be abrasive,

---

**WIPE SPILLS** Oil finishes are not as waterproof as polyurethane. If you spill liquid, blot it up immediately with a clean cloth. Do not let water sit on the surface, as it can raise the grain or leave white rings.

---

**WIPE SPILLS** **SURFACE** - only affecting **MINOR** - penetrating the **DEEP** - requiring wood



**THINGS** Silicon-based Polishes:  
Silicon-based Polishes: Avoid aerosol sprays like Pledge. They create a barrier that prevents the wood from accepting new oil later and can leave a hazy film.

---

**Direct Heat and Sunlight:**  
Prolonged exposure to direct sunlight can fade the wood and dry out the oil finish. Use coasters for hot drinks to prevent heat rings.

---

**Harsh chemicals:**  
Never use bleach, ammonia, or abrasive cleaners, as they will strip the oil and damage the wood fibers.

HOW TO

Clean the Surface:

---

CHOOSE THE  
RIGHT OIL:

Use a furniture oil compatible with the original finish.

---

Boiled Linseed Oil

---

Tung Oil

---

Danish Oil

---

Lemon Oil

---

APPLY THE OIL:

Pour a small amount of oil onto a clean cloth (never directly on the wood). Rub it into the

---

This is the most critical step. Wipe away all excess oil with a clean, dry cloth. If you leave

---

Applying the first coat of wipe-on finish brings wood to life, but don't be disappointed



CONTACT

Us



---

If you have any questions or concerns, please visit our website at [orahome.eu](http://orahome.eu) or email us at [sales@orahome.eu](mailto:sales@orahome.eu)